

1.1

1.2

1

120KW

V3.1

	6	GB 44263-2024		
	1	IEC 61851-1-2019	.	1 :
		IEC 61851-23-2023	.	23 :
	2			
120KW	3	IEC 61851-24	.	24 :
	4	IEC 62196-1		
		1		
	5	IEC 62196-3		
		3		
240KW	1	SAE J1772-2024 SAE		
		W K		

		GB/T 27930.2-2024
		2015V3.1
3	HMI	
		5000
		VIN / EVCC MAC
4		PLC DIN 70121:2014-12/ISO15118 OCPP 1.6J
		OCPP2.1
5		

3.2

3.2.1V2G120KW

- 1
- 2120KW
- 3

11	()	≥ 95%
12		dB
13		-20 +50
14		-40 ~70
15		5 90
16	m)	≤ 2000m
17	IP	IP54
18		2 7 (250A) GBT+GBT
19		≥ 7
20		
21		

3.2.2

120KW

- 1
- 2
- 3

120KW
AC38

3.2.3

240KW

1		
2		240KW
3		AC380V,50Hz 3P+N+PE
4		200Vdc 1000Vdc
5		0-300A
6	(%)	$\leq \pm 0.5\%$
7	(%)	5%
8	%	$\leq 5\%$
9	()	$\leq \pm 0.5\%$
10	()	$\leq \pm 1\%$
11	()	$\geq 95\%$
12	2	

			7		7	24	7
	48						
6.6				30			
	2		2			/	
			4				
6.7							
					24		
				/			
5.5							
6.8							
6.9							
7.1.							
7.2.							
7.3.							
7.4						7	Đ
7.5							
					7		
7.6							
7.7							